

Thank you for choosing Rosetta hardscape products. The following are some helpful tips to make your first installation go smoothly. For more in-depth technical information, see our Grand Flagstone Installation Guide (available at [discoverrosetta.com](http://discoverrosetta.com)) or contact Bob Conklin with Rosetta Technical Support at (877) 777-6558 ext 3081.

*Your safety is important to us. Please follow OSHA guidelines, and utilize safety-toe boots, hardhats, gloves and eye, ear & respiratory protection whenever appropriate.*

## PATTERNS

- Follow our simple layout patterns to create patios and walkways.

## VIEWING PERSPECTIVE

- In a patio layout, place Grand Flagstone at a 45 degree angle from the most common viewing perspective. This will eliminate the appearance of long, unbroken seams.

## PALLET ORIENTATION

- Orientate the pallet in the same direction as your walkway or patio layout. This will ensure the easiest transfer of product from the pallet to the ground.

## PROJECT EFFICIENCY

- Remove flagstone pieces from the pallet only as needed. This will ensure that the patterns do not get mixed up on the jobsite.

## BLEND MULTIPLE PALLETS

- In order to achieve the best possible color blend, utilize material from multiple pallets simultaneously (when applicable).

## BORDERS

- A cut-off saw can be used to create straight or curved borders if desired. (Use proper safety equipment)

## LOAD LIMITS

- Unlike a typical paver installation, do not run a plate compactor across the surface of Grand Flagstone. Excessive force can crack the flagstone surface. Grand Flagstone is not suitable for vehicular traffic.

## BROKEN PIECES

- Due to the natural "random" shape of Grand Flagstone, broken pieces can be utilized by simply expanding the broken joint to approximately 3/8".

*\*Do not use de-icing salts on Grand Flagstone Pavers. Use of de-icing salts can damage the paver surface and will void the product warranty.*

## REQUIRED TOOLS


- PLATE COMPACTOR
- SHOVEL
- RAKE
- LEVEL
- LOW-PROFILE PAVER RESTRAINT

## OPTIONAL TOOLS:

- CUT-OFF SAW
- DEAD BLOW HAMMER
- SCREED RAILS & SCREED BOARD
- GEOTEXTILE FABRIC



# GRAND FLAGSTONE

## QUICK INSTALL TIPS



### COMMON POINTS FOR INTERLOCKING LAYERS

### PROPERLY PLACED INTERLOCKING LAYERS



### WALKWAY LAYOUT

