



VENEERSTONE™

PRODUCT PROFILE:
AUSTIN STONE



AUSTIN STONE

PROFILE INFORMATION & COLOR OPTIONS

Thick with subtle saw marks and varying dimensions.

COLOR OPTIONS



CHALK*

BUCKEYE*

MINERAL COUNTY

SILVER

FLATS

FLATS: SIZE WILL VARY BY UNIT

LENGTH: 4.5" - 19" | HEIGHT: 1.75" - 9"

WEIGHT: 7 LBS. | THICKNESS: 1.5"

Coverage & packaging based on 1/2" mortar joints.
Packaged in **10 sq. ft.** handy box.

CORNERS

CORNERS: SIZE WILL VARY BY UNIT

HEIGHTS: 3.75" - 6" | SHORT RETURN: 2.5" - 2.625"

LONG RETURN: 7.625" - 9" | THICKNESS: 1.5"

Coverage & packaging based on 1/2" mortar joints.
Packaged in **10 lin. ft.** handy box.

TECH DATA

- Compressive Strength (at 28 days) Meets or exceeds ASTM standard 1800 PSI – typical result 5,500 PSI avg. min.
- Water Absorption (at 28 days) Does not exceed 15.2%
- Fireproof? Yes: Will not contribute to smoke or flame development
- Colorfastness: Existing applications show no undesirable change in coloring after years of weathering

VENEERSTONE™

VENEERSTONE.BIZ | 800.781.0277 | LEEBP.COM



MADE IN THE USA



LEE | **BUILDING PRODUCTS®**

©2023 VENEERSTONE BY LEE BUILDING PRODUCTS. ALL RIGHTS RESERVED.